

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	941	class\$3 with bytecode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 13:54
S2	7651	reflect\$3 with class\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 08:10
S3	57	S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 13:54
S4	9900	java with class\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 13:55
S5	49	S3 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 13:55
S6	64396	class\$3 with structur\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 13:55
S7	22	S5 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 13:55
S8	804	reflect\$3 with java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 08:11

## EAST Search History

S9	947	class\$3 with bytecode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 10:43
S10	39	S8 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 08:11
S11	64765	class\$3 with structur\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 10:17
S12	10	S10 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 08:11
S13	37949	S11 and @ad<"20040414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 08:12
S14	6	S12 and @ad<"20040414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 16:05
S15	1959	java with bytecode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 08:22
S16	113	S8 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 08:22

## EAST Search History

S17	3	S16 and (class\$3 with enhance\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 09:03
S18	2	S16 and (class\$3 with enhance\$4) and ((creat\$3 or generat\$3) near class\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 08:53
S19	21	JDO with persisten\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 09:02
S20	3	S19 and (class\$3 with enhance\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 09:03
S21	5	JDO and (class\$3 with enhance\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 09:06
S22	0	JDO with bytecode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 09:06
S23	254	JDO (enhance\$5 with bytecode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 09:06
S24	0	JDO and (enhance\$5 with bytecode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 09:09

## EAST Search History

S25	1	JDO and (class\$3 with bytecode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 09:17
S26	374	java and (class\$3 with persistence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 09:18
S27	8	S10 and S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 09:45
S28	1959	java with bytecode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 09:46
S29	113	S28 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 09:46
S30	1	S29 and (enhance\$4 with bytecode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 09:47
S31	5	S29 and (enhance\$4 with java)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 09:50
S32	12	S29 and (persistence with java)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 09:55

## EAST Search History

S33	43	S8 and (persistence with java)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 10:13
S34	8	S33 and (class\$3 with bytecode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 09:58
S35	41	S33 and ((creat\$3 or generat\$3) with class\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 09:59
S36	12	S33 and ((creat\$3 or generat\$3) with class\$3) and bytecode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 10:02
S37	23	((creat\$3 or generat\$3) with class\$3 with persistence) and bytecode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 10:03
S38	8	S37 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 10:11
S39	2	S8 and (bytecode with rewr\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 10:13
S40	115	S8 and (class\$3 with persist\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 10:17

## EAST Search History

S41	37	S33 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 10:14
S42	8	S41 and (bytecode with class\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 10:14
S43	86	(java with bytecode) and (class\$3 with persist\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 10:17
S44	26	S43 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 10:18
S45	55460	S43 and S11 ((generat\$3 or creat\$3) with class\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 10:18
S46	25	S43 and S11 and ((generat\$3 or creat\$3) with class\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 10:18
S47	16	S43 and S11 and ((generat\$3 or creat\$3) near class\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 10:25
S48	13	S8 and (class\$3 with persist\$5 with structur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 10:42

## EAST Search History

S49	0	(bytecode with par\$3) and (class\$3 with persist\$5 with structur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 10:43
S50	7	(bytecode with java) and (class\$3 with persist\$5 with structur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 10:28
S51	115	S8 and (class\$3 with persist\$5 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 10:42
S52	8	S51 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 10:43
S53	1130	class\$3 with byte\$code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 10:43
S54	9	S51 and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 10:50
S55	38	S9 and (class\$3 with persist\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 10:50
S56	27	S55 and @ad<"20040414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 15:12

## EAST Search History

S57	7	(byte\$code with persist\$5 with class\$3) and @ad<"20040414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 15:23
S58	4	(byte\$code with (analyz\$3 or pars\$3)) and ( persist\$5 with class\$3) and @ad<"20040414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 15:30
S59	6	(java with reflect\$5) and (byte\$code with class\$3) and (persist\$6 with class\$3) and @ad<"20040414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 15:35
S60	25	(java with reflect\$5 with class\$3) and (byte\$code with class\$3) and @ad<"20040414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 15:46
S61	1	(java with reflect\$5 ) and (byte\$code with enhance\$5) and @ad<"20040414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 15:48
S62	33	(java with reflect\$5 ) and (byte\$code with class\$3) and @ad<"20040414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 15:48
S63	3	S62 and (byte\$code with (analyz\$3 or pars\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 15:55
S64	6	S62 and (class\$3 with persist\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 16:00



## EAST Search History

S65	5	(byte\$code with enhance\$5) and (class\$3 with persist\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 16:03
S66	3	(byte\$code with class\$3) and (class\$3 with enhance\$6) and (class\$3 with persist\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 16:04
S67	44	(byte\$code with class\$3) and (class\$3 with persist\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 16:04
S68	33	S67 and @ad<"20040414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 20:08